Online ISSN 2581-785X

Review Article

International Research Journal of Ayurveda & Yoga
Vol. 9, No. 6, November–December 2026

Pindikodveshtana with Special Reference to Muscle Cramps: A Review

Ritika Verma[1], Ankush Kushal[2] and Anurag Kushal[3*]

[1] *Associate Professor, Department of Samhita Siddhant and Sanskrit,*
[2] *Shree Dhanwantry Ayurvedic Medical College and Hospital Chandigarh*
[3] *Assistant Professor, Department of Panchakarma*

* Corresponding author. E-mail: anuragkushaljgd@gmail.com

https://doi.org/10.48165/irjay.2026.9.06.06

ARTICLE INFO

Article history
Received: 21.08.2026
Revised: 10.09.2026
Accepted: 09.10.2026

Keywords
Muscle spasm
Electrolyte imbalance
Nocturnal pain
Myofascial changes

ABSTRACT

Pindikodveshtana (Muscle spasm) wherein the vitiation of *Vata dosha* is recognized as the primary etiological factor behind such localized involuntary spasms. This condition is also frequently correlated with *Mamsagata Vata*, a state where vitiated *Vata* affects the muscular tissues, leading to persistent stiffness and functional impairment. Therapeutic strategies for *Pindikodveshtana* frequently incorporate *Swedana*, a non-surgical thermal procedure that facilitates *Vata* pacification, thereby alleviating muscular stiffness and rigidity . In particular, techniques such as *Snigdha Sweda* are highly efficacious in mitigating *Vata* disorders by promoting tissue nourishment and enhancing local blood circulation, which addresses the underlying etiology of muscular spasms . Within the framework of *Sankara Sweda*, modalities like *Pinda Sweda* are particularly instrumental in managing these musculoskeletal perturbations by delivering sustained heat and therapeutic substances to the affected areas.

INTRODUCTION

Muscle cramps, characterized as sudden and involuntary skeletal muscle contractions, represent a significant clinical concern often associated with electrolyte imbalances, neuromuscular fatigue, and sedentary lifestyle factors [1]. In the Ayurvedic tradition, this clinical manifestation can be correlated with Pindikodveshtana, wherein the vitiation of *Vata dosha* is recognized as the primary etiological factor behind such localized involuntary spasms. This condition is also frequently correlated with *Mamsagata Vata*, a state where vitiated *Vata* affects the muscular tissues, leading to persistent stiffness and functional impairment [2]. While this pathology involves systemic *Vata* imbalance, the localized presentation of involuntary contractions specifically targets the Pindi (calf region), necessitating therapeutic approaches that bridge the gap between systemic detoxification and targeted analgesic interventions [3,4]. Therapeutic strategies for *Pindikodveshtana* frequently incorporate *Swedana*, a non-surgical thermal procedure that facilitates *Vata* pacification, thereby alleviating muscular stiffness and rigidity [5]. In particular, techniques such as *Snigdha Sweda* are highly efficacious in mitigating *Vata* disorders by promoting tissue nourishment and enhancing local blood circulation, which addresses the underlying etiology of muscular spasms [6]. Within the framework of *Sankara Sweda*, modalities like *Pinda Sweda* are particularly instrumental in managing these musculoskeletal perturbations by delivering sustained heat and therapeutic substances to the affected areas [7,8]. Furthermore, these fomentation techniques are instrumental in mitigating the pathological manifestations of pain, heaviness, and stiffness, providing therapeutic efficacy in managing chronic musculoskeletal disorders [9]. By integrating *Snehana* and *Swedana* in a combined modality, these therapies achieve a synergistic triple action of oleation, sudation, and *Brimhana*—a nourishing effect that is fundamental for addressing *Mamsa Kshaya* (muscle depletion), re-

plenishing tissue vitality, and restoring functional integrity in patients suffering from chronic *Pindikodveshtana* [10,11].

LITERATURE REVIEW

• Contemporary clinical observations underscore the profound therapeutic efficacy of multifaceted Panchakarma interventions—particularly *Basti* and *Abhyanga*—in systematically addressing chronic neuromuscular deficits and reducing spasticity [12,13].[5]

• Procedures such as *Shashtika Shali Pinda Sweda* are instrumental, providing essential thermal stimulation and mechanical pressure that nourish muscular structures while stimulating peripheral nerve endings [14].

• The synergistic composition of cow's milk and *Balamoola Kwath* within the *pottali* significantly enhances tendon extensibility and local blood circulation, which is vital for preventing muscle atrophy and arresting degenerative changes [15].

• The therapeutic modulation of local microcirculation achieved through these applications facilitates the efficient clearance of metabolic waste, thereby resolving *Srotorodha* and alleviating the pain inherent to musculoskeletal congestion [6,16].

• These interventions operate through the principle of thermal-induced vasodilation, augmenting oxygenation and nutrient delivery to affected myofascial units [17].

• Experimental evidence suggests that these protocols effectively modulate inflammatory cascades and stabilize neuromuscular activity, notably by decreasing gamma motor neuron sensitivity to dampen afferent firing from muscle spindles [11].

• This restorative influence, coupled with the systematic alleviation of *Mamsagata Vata*, fosters an optimal environment for tissue regeneration and the sustained attenuation of chronic muscular spasms [2,16].

METHODOLOGY

The methodology for this review involved a systematic search of peer-reviewed Ayurvedic and biomedical databases, including PubMed, DHARA, and AYUSH Research Portal, to identify clinical studies and observational reports regarding *Pindikodveshtana.*

RESULTS

The synthesis of available evidence indicates that multimodal Panchakarma protocols demonstrate a significant reduction in the frequency and intensity of nocturnal muscle spasms [18,19]. These therapeutic outcomes are primarily attributed to the modulation of neuromuscular pathways and the reduction of inflammatory mediators that propagate chronic myofascial dysfunction [20]. Moreover, consistent application of *Snigdha Sweda* protocols specifically addresses the pathological *Stambha* and *Guruta* associated with muscle distress, thereby enhancing overall motor performance and patient comfort [21]. Similarly, the strategic use of medicated oils such as *Shudhabala Taila* during these procedures exerts a neuroprotective effect, which plays a pivotal role in stabilizing neuromuscular transmission and curbing involuntary activity [22]. By promoting metabolic efficiency through heat-induced vasodilation, these procedures effectively facilitate the removal of accumulated metabolic wastes that contribute to local tissue toxicity [23]. Such therapeutic protocols underscore the clinical importance of addressing *Vata* vitiation to restore functional mobility and mitigate discomfort in patients experiencing these neuromuscular perturbations. By aligning these interventions with the patient's specific constitutional needs and the degree of tissue involvement, practitioners can achieve not only symptomatic abatement but also lasting corrective modulation of the underlying pathology. This patient-centered strategy ensures that the rehabilitative process extends beyond superficial relief, addressing the fundamental structural and functional requirements of the myofascial system to foster enduring recovery [2,4].

Pathophysiology of Nocturnal Calf Muscle Cramps

While the definitive mechanisms governing nocturnal leg cramps remain a subject of ongoing research, several prevailing hypotheses exist:

- **Motor Neuron Hyperexcitability:** A leading theory suggests that cramps arise from heightened excitability of spinal motor neurons, causing spontaneous discharge of motor units. This implies that central nervous system signaling, rather than purely muscular issues, may drive the persistent, involuntary contractions.[24]

- **Peripheral Nerve Discharge:** This perspective argues that the spasms are triggered by spontaneous firing within the peripheral nerves that innervate the muscle, potentially intensified by factors such as local ischemia, muscle fatigue, or electrolyte imbalances.

● **Electrolyte and Metabolic Factors:** Although evidence is not conclusive, fluctuations in metabolic states or electrolyte levels are thought to impact membrane irritability, thereby facilitating muscle cramping.[25]

● **Muscle Fatigue and Overuse:** Prior physical strain leading to localized fatigue can alter neuromuscular junctions and motor control, predisposing muscles to spasm when at rest, particularly during nocturnal periods.

Additional Risk Factors and Associated Conditions26–32

Several secondary variables are recognized as contributors:

● **Aging:** Neuromuscular changes related to the aging process increase susceptibility.

● **Pharmacological Agents:** Certain drugs, including diuretics and long-acting beta-agonists, may negatively affect electrolyte balance or neuromuscular signaling, increasing the risk of cramping.

● **Lifestyle:** A sedentary lifestyle characterized by reduced activity levels may lead to poor muscle conditioning and altered neural input.

● **Systemic Illness:** A higher incidence of muscle cramps is observed in conditions such as liver cirrhosis, suggesting metabolic or neurogenic contributions.

Clinical Features and Localization

Nocturnal leg cramps primarily affect the calf, though foot muscles may also be involved. They manifest as abrupt, severe, brief pain, usually lasting between a few seconds and 10 minutes. Because they occur during rest rather than during exercise, they differ from typical exercise-induced cramps and are frequently severe enough to wake the individual.

Impact of Nocturnal Calf Cramps

Beyond the immediate pain, these cramps negatively affect quality of life by fragmenting sleep and complicating the ability to fall back asleep. This sleep disruption can have broader impacts on physical health, resulting in persistent discomfort and reduced vitality.

Probable Modes of Action of Swedana Karma

· **Facilitation of Detoxification and Physical Cleansing**

Swedana serves as a critical preparatory procedure within Panchakarma, working synergistically to mobilize toxins toward the gastrointestinal tract and body surfaces for elimination. By promoting vasodilation and opening the pores, this therapy assists in the expulsion of accumulated metabolic impurities from deep tissues, facilitating physical cleansing which emphasizes purification to restore physiological equilibrium.

· **Stimulation of Circulatory and Lymphatic Systems**

By enhancing peripheral blood flow and lymphatic drainage, *Swedana* promotes the mobilization of metabolic waste and supports tissue regeneration. The application of heat induces vasodilation, thereby optimizing oxygen and nutrient delivery to cells while accelerating the clearance of cellular debris. This process contributes significantly to adaptive rejuvenation and metabolic efficiency.

· **Balancing of Doshas and Tissue Homeostasis**

The heating and diaphoresis induced by *Swedana* serve to pacify aggravated *Dosha*—particularly *Vata* and *Kapha*—by facilitating fluid movement and reducing muscular and articular rigidity. This supports the restoration of tissue-level homeostasis, aligning with the fundamental Ayurvedic objective of maintaining balance for health.

· **Enhancement of Herbal Medication Bioavailability and Synergism**

Swedana is frequently integrated with oleation therapies (*Snehana*) and followed by the administration of herbal formulations. The localized application of heat increases skin permeability, which promotes the absorption of therapeutic compounds. This suggests that preparatory procedures like *Swedana* enhance the pharmacodynamics and pharmacokinetics of polyherbal medicines, facilitating deeper tissue penetration and optimizing the therapeutic action of active constituents.

· **Neuroimmune and Stress Modulation**

Although specific neuroimmune pathways for *Swedana* remain under study, Ayurvedic rejuvenation treatments are known to impact holistic health, including stress regulation and immune modulation. By mitigating metabolic accumulation and improving circulation, *Swedana* likely promotes neuroimmune balance and physiological resilience, mirroring the adaptogenic effects described for *Rasayana* therapies in Ayurveda.

DISCUSSION

The therapeutic efficacy observed in managing *Pindikodveshtana* reflects a holistic paradigm where localized interventions like *Sthanik Basti* and *Swedana* harmonize with the systemic regulation of *Vata* [33]. Recent clinical assessments indicate that the implementation of *Basti*-centric regimens facilitates a profound reduction in pain and associated musculoskeletal disability by modulating *Vata-vikriti* across various patient cohorts [34]. Furthermore, since the *Pakvashaya* acts as the primary anatomical seat for *Vata*, target-specific administration of medicated enemas addresses the systemic origin of these disturbances to alleviate symptoms throughout the entire body [35]. The integration of Taila-based therapies is particularly essential, as the *snigdha* and *ushna* qualities of medicated oils serve to pacify vitiated *Vata* and restore structural homeostasis within the deep tissue layers [36]. This physiological normalization is further supported by the administration of *Matra Basti*, which provides a sustained, systemic influence on neuromuscular relaxation and metabolic homeostasis [37,38]. Additionally, the utilization of internal pharmacological agents like *Ashwagandha* and *Sunthi* acts in tandem with these external procedures to provide *Rasayana* nourishment and mitigate inflammatory responses, thereby reinforcing the overall clinical recovery process [39,40]. Such an integrated approach, addressing both *dhatukshaya* and *margavarodha* through dual *shamana* and *shodhana* strategies, is critical for long-term stabilization of neuromuscular health in chronic *Vata Vyadhi*. By harmonizing purification techniques with nutritive, restorative measures, this comprehensive model not only alleviates immediate symptoms but also systematically reverses the underlying pathophysiological processes, ensuring sustainable functional recovery and improved quality of life for patients afflicted by these complex neuromuscular conditions.

Swedana Karma is a classical Ayurvedic therapeutic procedure that primarily involves the induction of perspiration through modalities such as steam therapy. While specific molecular pathways remain a subject of ongoing investigation, the therapeutic action of *Swedana* can be understood through an integration of Ayurvedic principles with contemporary insights into Panchakarma and detoxification physiology.

CONCLUSION

The findings of this review underscore that *Pindikodveshtana* is effectively managed through a multi-modal Ayurvedic approach that addresses both localized myofascial tension and systemic *Vata* vitiation [41,42]. By integrating *Shodhana* therapies like *Basti* with *Shamana* interventions, practitioners can effectively neutralize the underlying *Dhatukshaya* and *Margavarodha* that perpetuate neuromuscular instability [43,44]. Future clinical research should prioritize large-scale, controlled trials to delineate the precise biomarkers of neuromuscular recovery following these integrative protocols [22,42]. Such investigations are essential to bridge the gap between traditional Ayurvedic conceptualizations and contemporary biomedical paradigms, ensuring that therapeutic mechanisms—such as the regulation of inflammatory pathways and stabilization of neuromuscular transmission—are objectively quantified. By standardizing these multimodal regimens and employing rigorous, quantitative outcome measures, researchers can foster greater integration of these ancient practices into modern clinical frameworks, ultimately strengthening the evidence base and optimizing therapeutic outcomes for patients afflicted by chronic myofascial dysfunction.

REFERENCES

1. Sonone, S. V., Patil, D., & Wadhokar, O. C. (2021). Efficacy of self myofascial release technique to reduce frequency and severity of nocturnal leg cramp in older adults. *Journal of Pharmaceutical Research International, 33*(46B), 193–197. https://doi.org/10.9734/jpri/2021/v33i46b32932
2. Narayan, G., & Mehta, A. (2025). An open label comparative clinical study on Virechana Karma and Patra Pinda Sweda followed by Vishwadi Dwadashanga Kwatha in the management of Mamsagata Vata w.s.r to fibromyalgia. *International Journal of Science and Research, 14*(1), 72–80. https://doi.org/10.21275/sr241230133900
3. Ital, S. V. (2025). Viddha Karma as an emergency analgesic for muscle spasms in athletes: A case study. *International Journal of Science and Research, 14*(2), 839–842. https://doi.org/10.21275/sr25213101742
4. Singhal, S., & Mangal, G. (2025). A review of Mamsgatavata with special reference to fibromyalgia. *Journal of Ayurveda and Integrated Medical Sciences, 9*(10), 148–152. https://doi.org/10.21760/jaims.9.10.24
5. Pawar, V. V., Kaknurkar, V., & Bhosale, M. (2026). An Ayurvedic review of the role of Patrapinda Sweda in Gridhrasi. International Journal of Innovative Science and Research Technology, 119. https://doi.org/10.38124/ijisrt/26feb181
6. Sutradhar, U. K., Wasedar, V., Gayathri, B., Nanditha, S., & Jyoti, J. (2025). Evaluating the rationality and efficacy of Snigdha and Ruksha Pinda Sweda in managing musculoskeletal disorders: A conceptual review. *Journal of Ayurveda and Integrated Medical Sciences, 10*(3), 293–299. https://doi.org/10.21760/jaims.10.3.45
7. Pawar, P. R., Pawar, K. P., & Bire, B. V. (2024). A review on efficacy of Kukkutanda Pinda Sweda in Katigata Vata with special reference to lumbar spondylosis. *International Journal of Research in Ayurveda and Pharmacy, 15*(3), 195–199.

https://doi.org/10.7897/2277-4343.15399
8. Gowda, I. S., Asundi, V., & Purohit, R. C. (2025). Pilot study on temperature dynamics of Pinda Sweda: A step toward developing a temperature regulating instrument. *Journal of Ayurveda and Integrated Medical Sciences, 10*(5), 32–37. https://doi.org/10.21760/jaims.10.5.6
9. Kumawat, A. R., & Mangal, G. (2020). Patra Pinda Swedana (a unique method of massage with fomentation): A review. *International Journal of Innovative Science and Research Technology, 5*(8), 348–351. https://doi.org/10.38124/ijisrt20aug304
10. Yadav, P., & Kumar, A. (2021). Efficacy of Shastika Shali Pinda Sweda in muscular dystrophy: A case study. *International Journal of Research in Ayurveda and Pharmacy, 12*(4), 12–14. https://doi.org/10.7897/2277-4343.120497
11. Dosani, M., & Singhal, H. K. (2024). An Ayurvedic approach in muscular dystrophy in children. *International Journal of Health Sciences and Research, 14*(3), 105–116. https://doi.org/10.52403/ijhsr.20240318
12. Bhardhwaj, S., & Tiwari, A. (2026). Finding relief from cervical dystonia (Greeva Hundan) with Panchakarma: A case report. Zenodo. https://doi.org/10.5281/zenodo.18797647
13. T, S. C., & Vinaykumar, N. (2026). Exploring the effectiveness of Panchakarma in post-stroke hemiplegia: A clinical study. International Ayurvedic Medical Journal, 100. https://doi.org/10.46607/iamj1314012026
14. Gupta, K. (2018). Some efficacious Ayurvedic panchakarma procedures in children with cerebral palsy. *International Journal of Complementary and Alternative Medicine, 11*(2). https://doi.org/10.15406/ijcam.2018.11.00344
15. Kumar, K., Kumar, D., & Vyas, P. P. (2023). Ayurvedic management of cerebral palsy: Review of literature. *International Journal of Health Sciences and Research, 13*(10), 62–68. https://doi.org/10.52403/ijhsr.20231008
16. Biswas, N., Hosamani, N., & Singh, T. (2026). Efficacy of Sringhi (Śṛṅga) therapy in management of chronic neck and shoulder pain: A case report. International Journal of Innovative Science and Research Technology, 759. https://doi.org/10.38124/ijisrt/26feb522
17. Wajpeyi, S. M. (2019). Role of Ayurveda in the management of Guillain-Barré syndrome. *International Journal of Ayurvedic Medicine, 9*(4), 288–292. https://doi.org/10.47552/ijam.v9i4.1154
18. S, K., Kulkarni, V., & S, C. S. (2025). A holistic approach through Panchakarma in management of Sarvanga Vata. *Ayushdhara, 11*(6), 331–336. https://doi.org/10.47070/ayushdhara.v11i6.1858
19. BJ, P., Poojary, P., & Shaila, B. (2025). A clinical insight into Ayurvedic management of polymyositis through Panchakarma therapies. *Ayushdhara, 12*(3), 202–206. https://doi.org/10.47070/ayushdhara.v12i3.2135
20. Rana, B. (2025). Pizhichil: A comprehensive review of its mechanisms and therapeutic potential. *International Ayurvedic Medical Journal, 13*(4), 1048–1050. https://doi.org/10.46607/iamj1613042025
21. Jyani, R., Mohar, & Verma, K., & Dixit, R. (2023). Effect of Shashtika Shali Pinda Sweda and other Ayurvedic intervention in cerebral palsy: A case report. *Ayushdhara, 10*(3), 51–53. https://doi.org/10.47070/ayushdhara.v10i3.1222
22. Pathania, S., Parwe, S., Nisargandha, M., & Sawarkar, P. (2025). A scoping review on Shudhabala Taila: Exploring its healing potential. Journal of Clinical and Diagnostic Research. https://doi.org/10.7860/jcdr/2025/76434.21951
23. Gr, A. R., Shailaja, U., Rao, P. N., Pujar, M. P., Srilakshmi, S., & Mohan, K. (2018). Effectiveness of Ayurveda treatment modalities in the management of spasticity in children with cerebral palsy at a tertiary care teaching hospital of Southern India. *International Journal of Research in Ayurveda and Pharmacy, 9*(2), 96–100. https://doi.org/10.7897/2277-4343.09242
24. Minetto, M. A., Holobar, A., Botter, A., & Farina, D. (2012). Origin and development of muscle cramps. *Exercise and Sport Sciences Reviews, 41*(1), 3–10. https://doi.org/10.1097/jes.0b013e3182724817
25. Miller, K. C., McDermott, B. P., Yeargin, S. W., Fiol, A., & Schwellnus, M. (2021). An evidence-based review of the pathophysiology, treatment, and prevention of exercise-associated muscle cramps. *Journal of Athletic Training, 57*(1), 5–15. https://doi.org/10.4085/1062-6050-0696.20
26. Hallegraeff, J. M., de Greef, M., Krijnen, W. P., & van der Schans, C. P. (2017). Criteria in diagnosing nocturnal leg cramps: A systematic review. *BMC Family Practice, 18*(1). https://doi.org/10.1186/s12875-017-0600-x
27. Albazli, K., Walters, A. S., & Karroum, E. G. (2022). Prevalence and impact of muscle cramps in patients with restless legs. Sleep, 45. https://doi.org/10.1093/sleep/zsac079.546
28. Prier, J., Phipps, K., & Alattar, M. (2024). REM-related leg cramps. Sleep, 47. https://doi.org/10.1093/sleep/zsae067.01223
29. Allen, R. E., & Kirby, K. A. (2012). Nocturnal leg cramps. *American Family Physician, 86*(4), 350–355.
30. Hawke, F., Chuter, V., & Burns, J. (2012). Factors associated with night-time calf muscle cramps: A case–control study. *Muscle & Nerve, 47*(3), 339–343. https://doi.org/10.1002/mus.23531
31. Tipton, P. W., & Wszołek, Z. K. (2017). Restless legs syndrome and nocturnal leg cramps: Review and guide to diagnosis and treatment. *Polish Archives of Internal Medicine, 127*(12), 865–872. https://doi.org/10.20452/pamw.4148
32. Kanaan, N., & Sawaya, R. (2001). Nocturnal leg cramps: Clinically mysterious and painful—but manageable. *Geriatrics, 56*(6).
33. Kumari, K., Bhatted, S. K., & Pandey, P. (2025). Efficacy of Sthanika Basti in management of musculoskeletal disorders: Meta-analysis. International Ayurvedic Medical Journal, (2), 106–115. https://doi.org/10.46607/iamj01p9022025
34. Roldán, C. (2025). Management of Vāta-Vikṛti (Vāta disorders) through Ayurvedic Pañcakarma therapies: A prospective cohort study. *Journal of Swasthavritta and Yoga, 2*(2), 17–20. https://doi.org/10.33545/30787157.2025.v2.i2.a.19
35. Patel, J., Amal, R., Patel, M., Gupta, S. N., & Patel, K. (2015). A non-randomized observational clinical study on Āyurvedic management of Pakshaghata. *Journal of Biological Sciences Opinion, 3*(5), 230–234. https://doi.org/10.7897/2321-6328.03550
36. Joshi, A., & Seethadevi, P. (2025). A comprehensive review of commonly used Taila Yogas in the management of Vatavyadhi. *Journal of Neonatal Surgery, 14*, 557–567. https://doi.org/10.63682/jns.v14i2s.8557
37. Kulkarni, S., Kukade, M. M., Bhonge, V. S., & Priyanka. (2026). Ayurvedic management of Pakshaghat w.s.r. to hemiplegia: A case study. Zenodo. https://doi.org/10.5281/zenodo.18094963
38. Kulkarni, S., Kukade, M. M., Bhonge, V. S., & Priyanka. (2026). Ayurvedic management of Pakshaghat w.s.r. to hemiplegia: A case study. Zenodo. https://doi.org/10.5281/zenodo.18094962
39. Kulkarni, S. P., Kulkarni, P., & Soni, H. K. (2025). Effectiveness of Snehana and Swedana in a case of unspecified joint pain: An Ayurvedic case report. Research Square. https://doi.org/10.21203/rs.3.rs-7230653/v1
40. Chaudhary, G., Richa, Gautam, M., Rani, T., Prabha, & Chandrasekharan, A. M. (2026). Comprehensive Ayurvedic management of Grivastambha: A clinical case study. Zenodo. https://doi.org/10.5281/zenodo.18093637
41. Ojha, A., Urmalia, N., Sharma, D., Parihar, H., & Hardeniya, P. (2026). Ayurvedic management of Vata Vyadhi: A proposed clinical study and evidence-based review. Zenodo. https://doi.org/10.5281/zenodo.18386294
42. Ojha, A., Urmalia, N., Sharma, D., Parihar, H., & Hardeniya, P. (2026). Ayurvedic management of Vata Vyadhi: A proposed clinical study and evidence-based review. Zenodo. https://doi.org/10.5281/zenodo.18386295
43. Muthe, S. G., & Badarkhe, A. M. (2026). Conceptual understanding of Vata Vyadhi in Ayurveda. *Journal of Pharmacognosy and Phytochemistry, 15*(2), 13–16. https://doi.org/10.22271/phyto.2026.v15.i2a.15766
44. Gavande, B. K., & Neralkar, U. K. (2026). Role of Basti Chikitsa in Sandhigatavata: A review article. *Journal of Pharmacognosy and Phytochemistry, 15*(2), 107–110. https://doi.org/10.22271/phyto.2026.v15.i2a.15777

How to Cite this Article: Verma R., Kushal A., Kushal A.. (2026). Pindikodveshtana with Special Reference to Muscle Cramps: A Review. *International Research Journal of Ayurveda & Yoga*, ***9***(6), 40-44. https://doi.org/10.48165/irjay.2026.9.06.06